




Committed to Care




Disposable Medical Devices



SPM Medicare Pvt. Ltd. has established a state-of-the-art manufacturing facility in the National Capital Region (NCR) of India for producing disposable medical devices and surgical products. Since its inception in 2015, SPM Medicare has emerged as one of the fastest-growing companies in India's medical sector, gaining recognition for its commitment to quality and service by manufacturing and exporting premium products at competitive prices. The company is also SEDEX-certified, ensuring adherence to high standards of social compliance and responsibility.



The facility is equipped with advanced, automated machinery designed to optimize manufacturing processes and ensure product safety and quality. All products are manufactured in cleanroom environments, with in-house ETO sterilization and a dedicated quality laboratory, enabling compliance with both national and international regulatory standards. The company benefits from easy access to raw materials, a skilled and dedicated team, and support from leading financial institutions, ensuring smooth and reliable operations. Worker safety and hygiene are prioritized, with all employees required to wear recommended safety gear during production.



SPM Medicare maintains a Quality Management System certified to ISO 13485 standards by ITC (Czech Republic). Additionally, its products are CE certified by TÜV (Germany) and have received USFDA approval for various items. With these certifications from stringent quality authorities, the company has successfully marketed its products across India and in over 30 countries worldwide.

VISION

- To become the most respected organization in the Healthcare sector, touching billion lives across the globe by providing safe and quality products and services.

MISSION

- To understand the requirements of our customers in the medical and healthcare sectors.
- To design and manufacture high quality products and services as per customer's requirements.
- To establish an environment wherein we are committed to provide world class care.



Contents

Syringes

Page No.

In-Line Arterial Blood Sampling Set.....	03
Flush Syringe	04
Insulin Syringe.....	05
Auto-Disable(AD) Syringe	06

Infusion / Transfusion Therapy

Closed IV Cannula	07
Safety IV Cannula	08
IV Cannula.....	09-10
IV Infusion Set.....	11-12
Blood Transfusion Set.....	13
Measured Volume Fluid Administration Set.....	13
Extension Line.....	13

Medicare
committed to care...

ARTERIAL SYRINGE

In-Line Arterial Blood Sampling Set

EASY BLOOD-COLLECT™

EASY BLOOD-COLLECT™ *Air-Pro*


TECHNICAL SPECIFICATIONS

Luer Lock Cap
Leak proof & Identification

Barrel
Crystal Clear Visibility

Gasket
Leak proof

Plunger
Smooth Movement



Features:-

- Specially designed to minimize preanalytical variability in sample collection, handling & transportation.
- Dry electrolyte-balanced heparin reduces the risk of sample clotting.
- Easy to use and provides highly accurate results.
- Reduces the risk of blood spillage during transportation.
- Strong sealing capacity minimizing the possibility of contamination.
- Bold and clear markings of graduation lines for ease of reading.
- Gamma Sterile, Non-Pyrogenic, Single use only.

Also available

- With Safety Needle, With Hypodermic Needle, Without Needle
- Packaging: Blister Pack

Technical Specification:

Brand	Size	Product code	Specification	Qty. Inner / Outer
EASY BLOOD-COLLECT™	1ml	1BQ9B1WL / 1BQ9B1	W/O Needle; W/H Needle	100/2000; 100/2000
		1BQ9B1S	W/S Needle	100/2000
	3ml	1BQ9B3WL / 1BQ9B3	W/O Needle; W/H Needle	100/1000; 100/1000
		1BQ9B3S	W/S Needle	100/1000
EASY BLOOD-COLLECT™ <i>Air-Pro</i>	1ml	1BQ9B1WLX / 1BQ9B1X / 1BQ9B1XS	W/O Needle; W/H Needle; W/S Needle	50/500; 50/500; 50/500
	3ml	1BQ9B3WLX / 1BQ9B3X	W/O Needle; W/H Needle	100/1000; 50/1000
		1BQ9B3XS	W/S Needle	50/1000
EASY BLOOD-COLLECT™ <i>Air-Pro</i>	1ml	1BQ9B1XK	Arterial Blood Sampling Kit with Dry Lithium Heparin Syringe, Safety needle, Patient label, Adhesive bandage, Povidoneiodine/ Alcohol Prep Pad, Gauze Sponge, Biohazard Ice Bag	200
	3ml	1BQ9B3XK		200

EASY BLOOD-COLLECT™ In-Line Arterial Blood Sampling Set




FLUSH SYRINGE

0.9% NaCl (Normal Saline Solution)

EASY-FLUSH®

Sterile
(Blister Pack)



Sterile Fluid Path
(Ribbon Pack)

FLUSH SYRINGE is a range of ready-to-use, Sterile syringes containing 0.9% sodium chloride (NaCl) specifically designed to enhance best clinical practices.

Features:

- Sterilized by Gamma Radiation.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- 3ml, 5ml & 10ml, Individual Ribbon pack & Blister pack.

Technical Specification:

Brand	Size	Product code	Qty. (Inner/Outer)	
			USA	Europe
EASY-FLUSH (Sterile Fluid Path) Ribbon Pack	3ml	1B07R3S	40/320	50/400
	5ml	1B07R5S	40/320	50/400
	10ml	1B07RXS	40/320	40/320
EASY-FLUSH (Sterile) Blister Pack	3ml	1BV7B3D	40/320	50/400
	5ml	1BV7B5D	40/320	50/400
	10ml	1BV7BXD	40/320	40/320

TECHNICAL SPECIFICATIONS

Luer Lock Cap

Leak proof & Identification

Barrel

Crystal Clear Visibility

Gasket

Leak proof

Plunger

Smooth Movement
for Dosage



EASY-FLUSH®
Flush Syringe




INSULIN SYRINGE

ACCU-SHOT™ EASY-JET⁺



TECHNICAL SPECIFICATIONS



Features:

- Short and thin needle attached for more safety and comfort.
- Low Dead space for more accurate dosage and minimum wastage.
- Bold and clear markings for ease of reading.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- 29G, 30G, 31G with Needle sizes 6mm, 8mm & 12.7mm
- Packaging: Individual pack in Blister and Ribbon. 10 Pcs. in Multipack

Technical Specification:

Brand	Size	Product code			Colour	Qty. Inner / Outer
		Blister	Ribbon	Multipack		
ACCU-SHOT™	U-40	1AB4	1AR4	1AM4	RED	100/2000
	U-100	1AB1	1AR1	1AM1	ORANGE	100/2000
EASY-JET ⁺	U-40	1BB4	NA	1BM4	RED	100/2000
	U-100	1DAB	NA	NA	RED	100/2000
	U-40	1BB1	NA	1BM1	ORANGE	100/2000
	U-100	1BB1	NA	1BM1	ORANGE	100/2000

ACCU-SHOT™ Insulin Syringe

Multi Pack

EASY-JET⁺ Insulin Syringe

Unit Pack in Soft Blister

Available in short needle in 31G 6mm

8mm
25% Shorter
6mm


Other Insulin Syringe
ACCU-SHOT 31G 6mm

AUTO-DISABLE (AD)

Auto-Disable (AD) SYRINGE

CoVax-Jet®

AD Syringe, RUP Syringe



TECHNICAL SPECIFICATIONS

Upper Cap

Maintains Needle Safety

Hub

Locks the needle in place

Gasket

Low Dead Space

Barrel

Crystal Clear Visibility

Plunger


Smooth Movement for Dosage

Needle
Straightness
(90° ± 5°)

Using Camera Inspection

Needle Tip

Reduced Penetration Force



Available Needle Sizes



Features:

- Auto Disable Syringe can be used only once.
- After injection, the plunger is automatically locked and will break when retracted.
- Bold and clear marking with clearly printed graduation lines for ease of reading.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- 0.5ml, 1ml, 2ml, 3ml, 5ml & 10ml
- Individual ribbon & blister pack.

Technical Specification:

Brand	Size	Product code		Needle	Qty. Inner / Outer
		AD	RUP		
CoVax-Jet®	0.05ml	1AW4BEW	N/A	Without Needle	100/2000
	0.1ml	1AW4BAW	N/A	Without Needle	100/2000
	0.3ml	1AW4BBW	N/A	Without Needle	100/2000
	1ml	1AW4B1 / 1AW4B1W	N/A	With/Without Needle	100/2000
	2ml	N/A	1AW5B2 / 1AW5B2W	With/Without Needle	100/2000
	3ml	N/A	1AW5B3 / 1AW5B3W	With/Without Needle	100/2000
	5ml	N/A	1AW5B5 / 1AW5B5W	With/Without Needle	100/1200
	10ml	N/A	1AW5BX / 1AW5BXW	With/Without Needle	50/800
	20ml	N/A	1AW5BY / 1AW5BYW	With/Without Needle	25/400
	50ml	N/A	1AW5BZ	With Needle	25/400
CoVax-Jet®	60ml	N/A	1AW5BD	With Needle	25/400
	100ml	N/A	1AW5BG	With Needle	10/100

CoVax-Jet® AD

Auto-Disable (AD) Syringe



CLOSED I.V. CANNULA

Closed I.V. Cannula with Safety Feature

Easy-Vein® Control-Way

I.V. Cannula with Wings, with Blood Control, with Extension line And with Safety Feature



Sharp Needle Tip



Needle Free Injection Valve



Safety Guard (Super)

Features:

- This device is designed to minimize needle stick injuries and blood exposure during insertion.
- It reduces backflow into the cannula, tip decreasing the risk of occlusion and the need for repeated insertions.
- This device reduces the risk of healthcare professionals coming into contact with patient's blood providing a safe method of drawing blood samples.
- The pre-assembled system creates a closed fluid path, designed to minimize blood leakage from the catheter hub and reduce the potential for contamination and blood exposure.
- The use of needle free connectors eliminates the need for needles when connecting administration sets or syringes.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.
- Packaging: Individual Blister pack.

Technical Specification:

Brand	Size	Product code		Catheter ID/OD(mm)	Flow Rate ml/min.	Tube ID/OD(mm)	Qty. Inner / Outer
		PUR	R/O				
Easy-Vein® Control-Way	14G	3AQ314	3AQ114	1.7/2.1	45/32	240	20/80
	16G	3AQ316	3AQ116	1.3/1.7	45/32	160	20/80
	18G	3AQ318	3AQ118	0.9/1.3	45/32	90	20/80
	20G	3AQ320	3AQ120	0.8/1.1	32	65	20/80
	22G	3AQ322	3AQ122	0.6/0.9	25	36	20/80
	24G	3AQ324	3AQ124	0.5/0.7	19	23	20/80
	26G	3AQ326	3AQ126	0.45/0.6	19	17	20/80



I.V. CANNULA

I.V. Cannula with Safety Feature

Easy-Vein®

I.V. Cannula with Wings & with Injection Port
with Safety Feature

Easy-Vein® WIN

I.V. Cannula without Wings & without Injection Port
with Safety Feature

Safy Super



Safy Super



Safy Ultra



Safy Ultra



Sharp Needle Tip



Flip type Port Cap



Safety Guard (Super)



Safety Guard (Ultra)

Features:

- Safety features to prevent needle stick injuries.
- A tapered & kink resistant catheter.
- Easy & secure fixation.
- A transparent flash back chamber for easy visual observation.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- 18G, 20G, 22G, 24G, FEP Radiopaque Catheter & Hydrophobic Filter,
- Individual Blister pack.

Technical Specification:

Brand	Size	Product code				Catheter ID/OD(mm)	Catheter Length(mm)	Flow Rate ml/min	Qty. Inner / Outer
		Safy Super		Safy Ultra					
		PUR	R/O	PUR	R/O				
Easy-Vein [®] Safy Super	14G	3DF314	3DF114	3CE314	3CE114	1.7/2.1	45/32	240	100/1000
	16G	3DF316	3DF116	3CE316	3CE116	1.3/1.7	45/32	160	100/1000
	18G	3DF318	3DF118	3CE318	3CE118	0.9/1.3	45/32	90	100/1000
	20G	3DF320	3DF120	3CE320	3CE120	0.8/1.1	32	65	100/1000
Easy-Vein [®] Safy Ultra	22G	3DF322	3DF122	3CE322	3CE122	0.6/0.9	25	36	100/1000
	24G	3DF324	3DF124	3CE324	3CE124	0.5/0.7	19	23	100/1000
	26G	3DF326	3DF126	3CE326	3CE126	0.45/0.6	19	17	100/1000
Easy-Vein [®] WIN Safy Super	14G	3DG314	3DG114	3CU314	3CU114	1.7/2.1	45/32	240	100/1000
	16G	3DG316	3DG116	3CU316	3CU116	1.3/1.7	45/32	160	100/1000
	18G	3DG318	3DG118	3CU318	3CU118	0.9/1.3	45/32	90	100/1000
	20G	3DG320	3DG120	3CU320	3CU120	0.8/1.1	32	65	100/1000
Easy-Vein [®] WIN Safy Ultra	22G	3DG322	3DG122	3CU322	3CU122	0.6/0.9	25	36	100/1000
	24G	3DG324	3DG124	3CU324	3CU124	0.5/0.7	19	23	100/1000
	26G	3DG326	3DG126	3CU326	3CU126	0.45/0.6	19	17	100/1000


Easy-Vein®



I.V. CANNULA

ACCU-Vein™ Easy-Vein®

I.V. Cannula with Wings,
with Injection Port & with Safety



ACCU-Vein™ NÜO Easy-Vein® NÜO

I.V. Cannula with Small Wings
& without Injection Port



Features:

- A tapered & kink-resistant catheter.
- Flexible Wings for easy & secure fixation.
- A transparent flash back chamber for easy visual observation.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- FEP Radiopaque Catheter, Hydrophobic Filter.
- Packaging: Blister pack

Technical Specification:

Brand	Size	Product code		Catheter ID/OD(mm)	Catheter Length(mm)	Flow Rate ml/min	Qty. Inner/Outer
		ACCU-Vein™ PUR	Easy Vein® R/O				
ACCU-Vein™ Easy-Vein® (Blister Pack)	14G	3A314 / 3A114	3F314 / 3F114	1.7/2.1	45/32	240	100/1000
	16G	3A316 / 3A116	3F316 / 3F116	1.3/1.7	45/32	160	100/1000
	18G	3A318 / 3A118	3F318 / 3F118	0.9/1.3	45/32	90	100/1000
	20G	3A320 / 3A120	3F320 / 3F120	0.8/1.1	32	65	100/1000
	22G	3A322 / 3A122	3F322 / 3F122	0.6/0.9	25	36	100/1000
	24G	3A324 / 3A124	3F324 / 3F124	0.5/0.7	19	23	100/1000
ACCU-Vein™ Easy-Vein® NÜO (Blister Pack)	26G	3A326 / 3A126	3F326 / 3F126	0.45/0.6	19	17	100/1000
	24G	3B324 / 3B124 /	3G324 3G124	0.5/0.7	19	23	100/1000
	26G	3B326 / 3B126 /	3G326 3G126	0.45/0.6	19	17	100/1000

ACCU-Vein™ / Easy-Vein®




I.V. CANNULA

ACCU-Vein™ ON

Easy-Vein® WIN

I.V. Cannula without Wings,
without Injection Port &
with Hydrofobic Filter

Easy-Vein® ON



Sharp Needle Tip



Smooth Fixation Hub



Square Needle Cover

Features:

- A tapered & kink resistant catheter.
- The siliconized, ultra sharp, stainless steel, back-cut needle ensure easy and painless venipuncture.
- The transparent flash back chamber allows for easy visual observation.
- The transparent needle cover to prevent accidental damage to the needle and catheter.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- FEP Radiopaque Catheter, Hydrophobic Filter
- Packaging: Blister pack

Technical Specification:

Brand	Size	Product code								Catheter ID/OD(mm)	Catheter Length(mm)	Flow Rate ml/min.	Qty. Inner / Outer
		ACCU-Vein™ ON		Easy-Vein™ ON		Easy-Vein™ WIN		Easy-Vein™ WIN (HVT)					
		PUR	R/O	PUR	R/O	PUR	R/O	PUR	R/O				
ACCU-Vein™ ON Easy-Vein™ WIN Easy-Vein™ ON I.V. Cannula without Wings, without Injection Port & with Hydrofobic	14G	3C314	3C114	3H314	3H114	3CJ314	3CJ114	3CR314	3CR114	1.7/2.1	45/32	240	100/1000
	16G	3C316	3C116	3H316	3H116	3CJ316	3CJ116	3CR316	3CR116	1.3/1.7	45/32	160	100/1000
	18G	3C318	3C118	3H318	3H118	3CJ318	3CJ118	3CR318	3CR118	0.9/1.3	45/32	90	100/1000
	20G	3C320	3C120	3H320	3H120	3CJ320	3CJ120	3CR320	3CR120	0.8/1.1	32	65	100/1000
	22G	3C322	3C122	3H322	3H122	3CJ322	3CJ122	3CR322	3CR122	0.6/0.9	25	36	100/1000
	24G	3C324	3C124	3H324	3H124	3CJ324	3CJ124	3CR324	3CR124	0.5/0.7	19	23	100/1000
	26G	3C326	3C126	3H326	3H126	3CJ326	3CJ126	3CR326	3CR126	0.45/0.6	19	17	100/1000

ACCU-Vein™ / Easy-Vein®

I.V. Cannula without Wings & without Injection Port



INFUSION SET

ACCU-FLOW *Airsafe Elite*

IV Set Vented with
Auto Air Stop Filter



Large Chamber-Vented



Y- Injection Site



Luer Lock

Auto Air-Stop Filter

Features:

- Large drip chamber with air vent fitted with 0.2μ filter: 20 drops 1 ± 0.1 ml.
- DEHP free PVC tube 180cm long with ID $\varnothing 2.8 \pm 0.1$ mm, OD $\varnothing 3.8 \pm 0.1$ mm.
- Y-site for convenience of admixture injections.
- Luer lock ABS material.
- Auto Air-stop filter.
- With Priming Filter at male connector tip for removing air.
- Sterile, Non-Toxic, Non-Pyrogenic, Single use only.

Also available

- Individual Paper pouch pack.


Technical Specification:

Brand	Tube Length	Product code	Packaging	Qty. Inner / Outer
ACCU-FLOW <i>Airsafe Elite</i>	180 cm	2BPSV	Paper Pouch	20/300

Packaging:



INFUSION SET



ACCU-FLOW™ UV Shield

Light Resistant IV Infusion Set (Vented)-PVC, Solution Opaque
Product Code: 2CNPV

- 15mm drip chamber: 20 drops~ 1 ± 0.1 ml.
- PVC tube 180cm long with ID $\varnothing 2.9 \pm 0.1$ mm, OD $\varnothing 3.9 \pm 0.1$ mm.
- Male Luer connector (With Hydrophobic Priming Filter)
- Luer lock ABC material.
- Individual Packaging in Ribbon Pouch.
- E.O. Sterile.



ACCU-FLOW Dial

(IV Set DEHP free Vented with flow regulator & Y-Injection site)
Product Code: 2BPFV


- 15mm drip chamber with air vent fitted with 0.2μ filter: 20 drops~ 1 ± 0.1 ml
- DEHP free PVC tube 150cm long with ID $\varnothing 2.9 \pm 0.1$ mm, OD $\varnothing 3.9 \pm 0.1$ mm
- Vented drip chamber with Flow Regulator.
- Y-site for convenience of admixture injections.
- Luer lock ABS material.
- Individual Packaging in Peel Open Pouch, E.O. Sterile.

ACCU-FLOW Purge

(IV Set Vented with purge filter -0.2 micron & Y-Injection site)
Product Code - 2BPPV

- 15mm drip chamber with air vent fitted with 0.2μ filter: 20 drops~ 1 ± 0.1 ml
- DEHP free PVC tube 150cm long with ID $\varnothing 2.9 \pm 0.1$ mm, OD $\varnothing 3.9 \pm 0.1$ mm
- 0.2 purge filter
- Y-site for convenience of admixture injections
- Luer lock ABS material
- Fluid filter in drip chamber $20 \pm 2\mu$.
- With or without Needle size 21G
- Individual Packaging in Peel Open Pouch, E.O. Sterile

M.V. SET, B.T. SET & EXTENSION LINE



ACCU *Pedia* REGULAR (110/150ml)


(Measured Volume Fluid Administration Set)

Product Code - 110ml: 2CRB2, 2CPB1, 2ACHB2, 2BKPB3

Product Code - 150ml: 2CRB6, 2CPB5, 2ACHB6, 2BKPB4

(For Ribbon, P/O, HIM Pack and P/O Pouch)

- 15mm drip chamber with micro pin: 60 drops~ 1 ± 0.1 ml
- For 110ml measuring Cylinder size 135 ± 5 mm; outer dia $\varnothing 35.75$ mm
- For 150ml measuring Cylinder size 185 ± 5 mm; outer dia $\varnothing 35.75$ mm
- PVC tube 150cm long with ID $\varnothing 2.8 \pm 0.1$ mm; OD $\varnothing 3.8 \pm 0.1$ mm
- Latex bulb for injection site
- Needle size 21G
- Individual Packaging in HM Pouch & Ribbon Pack • E.O. Sterile



ACCU *Fusion* REGULAR

(Blood Transfusion set Non-Vented with latex bulb (15mm)

Product Code: 2DRFR

- 15mm drip chamber: 20 drops~ 1 ± 0.1 ml
- PVC tube 150cm long with ID $\varnothing 2.8 \pm 0.1$ mm; OD $\varnothing 3.8 \pm 0.1$ mm
- Latex bulb for injection site
- Blood Filter made with Plastic, attached inside the chamber $200 \pm 10\mu$
- Needle size 18G
- Individual Packaging in HM Pouch & Ribbon Pack
- E.O. Sterile




ACCU-LINE (50/100/150/200/10/25/250)cm

(Pressure Monitoring Line)

Product Code - 2FPPA / 2FPPB / 2FPPC / 2FPPD

/ 2FPPE / 2FPPF / 2FPPG

- DEHP free PVC tube; ID $\varnothing 1.2 \pm 0.1$ mm; OD $\varnothing 2.8 \pm 0.1$ mm
- 6 % taper in luer lock allows connection with a variety of medical devices
- Male & Female connector ABS material
- Individual Packaging in Peel Open Pouch
- E.O. Sterile



ACCU-SITE (UNO, DUO & TRIO)

(Needle free valve with Extension Line)

Product Code UNO: 2GPNU, DUO: 2GPND, TRIO: 2GPNT

- DEHP free PVC/PU tube 9 CM: ID $\varnothing 1.3 \pm 0.1$ mm; OD $\varnothing 2.3 \pm 0.1$ mm
- 6 % taper on luer allow connection with a wide variety of medical devices.
- Luer lock with ABS material.
- Needle free valves made with latex free material to prevent entry of contamination.
- Individual packaging in peel open pouch.
- E.O. Sterile



SPM Medicare Pvt. Ltd.

(AN EN ISO 13485 Certified Company)

Corporate & Manufacturing Address:

B-40, Phase-II, NOIDA,
Gautam Buddha Nagar - 201305 U.P., INDIA

Customer Care: +91-8407070718

E-mail: info@spmmedicare.com

Website: www.spmmedicare.com